

第1部 栄養素等摂取状況調査の結果

第 3 表の 1 食塩摂取量の分布 (20 歳以上, 地域ブロック別)

	総数		北海道		東北		関東 I		関東 II		北陸		東海		近畿 I		近畿 II		中国		四国		北九州		南九州	
	人数	%	人数	%	人数	%	人数	%	人数	%	人数	%	人数	%	人数	%	人数	%	人数	%	人数	%	人数	%	人数	%
対象者数	7,377	100.0	292	100.0	598	100.0	1,744	100.0	627	100.0	405	100.0	875	100.0	848	100.0	212	100.0	510	100.0	262	100.0	571	100.0	433	100.0
4g未満	206	2.8	4	1.4	20	3.3	41	2.4	15	2.4	6	1.5	18	2.1	34	4.0	10	4.7	15	2.9	8	3.1	20	3.5	15	3.5
4-5g未満	221	3.0	4	1.4	19	3.2	57	3.3	13	2.1	12	3.0	32	3.7	22	2.6	10	4.7	18	3.5	9	3.4	15	2.6	10	2.3
5-6	420	5.7	14	4.8	21	3.5	94	5.4	27	4.3	16	4.0	58	6.6	48	5.7	22	10.4	31	6.1	14	5.3	41	7.2	34	7.9
6-7	569	7.7	22	7.5	26	4.3	137	7.9	30	4.8	30	7.4	78	8.9	70	8.3	20	9.4	32	6.3	18	6.9	58	10.2	48	11.1
7-8	647	8.8	26	8.9	60	10.0	132	7.6	59	9.4	31	7.7	73	8.3	79	9.3	22	10.4	42	8.2	20	7.6	47	8.2	56	12.9
8-9	770	10.4	25	8.6	67	11.2	170	9.7	54	8.6	46	11.4	89	10.2	97	11.4	23	10.8	49	9.6	26	9.9	69	12.1	55	12.7
9-10	810	11.0	40	13.7	59	9.9	169	9.7	72	11.5	46	11.4	121	13.8	76	9.0	19	9.0	68	13.3	35	13.4	60	10.5	45	10.4
10-11	680	9.2	25	8.6	60	10.0	173	9.9	55	8.8	34	8.4	78	8.9	97	11.4	16	7.5	49	9.6	17	6.5	44	7.7	32	7.4
11-12	632	8.6	34	11.6	40	6.7	165	9.5	52	8.3	44	10.9	69	7.9	69	8.1	17	8.0	42	8.2	20	7.6	52	9.1	28	6.5
12-13	562	7.6	20	6.8	43	7.2	139	8.0	57	9.1	31	7.7	55	6.3	66	7.8	14	6.6	39	7.6	21	8.0	46	8.1	31	7.2
13-14	463	6.3	21	7.2	51	8.5	121	6.9	47	7.5	29	7.2	44	5.0	44	5.2	11	5.2	35	6.9	19	7.3	30	5.3	11	2.5
14-15	320	4.3	9	3.1	25	4.2	79	4.5	41	6.5	23	5.7	33	3.8	36	4.2	5	2.4	23	4.5	10	3.8	23	4.0	13	3.0
15-16	301	4.1	13	4.5	41	6.9	68	3.9	24	3.8	16	4.0	29	3.3	40	4.7	6	2.8	23	4.5	8	3.1	19	3.3	14	3.2
16-17	200	2.7	9	3.1	17	2.8	49	2.8	18	2.9	9	2.2	26	3.0	19	2.2	4	1.9	13	2.5	16	6.1	7	1.2	13	3.0
17-18	147	2.0	7	2.4	11	1.8	34	1.9	16	2.6	10	2.5	15	1.7	12	1.4	3	1.4	8	1.6	8	3.1	16	2.8	7	1.6
18-19	116	1.6	1	0.3	8	1.3	35	2.0	10	1.6	7	1.7	17	1.9	13	1.5	1	0.5	8	1.6	3	1.1	5	0.9	8	1.8
19-20	83	1.1	2	0.7	10	1.7	20	1.1	7	1.1	3	0.7	14	1.6	9	1.1	2	0.9	5	1.0	2	0.8	5	0.9	4	0.9
20-21	63	0.9	3	1.0	4	0.7	22	1.3	10	1.6	4	1.0	5	0.6	6	0.7	0	0.0	0	0.0	3	1.1	2	0.4	4	0.9
21-22	36	0.5	2	0.7	2	0.3	7	0.4	4	0.6	3	0.7	9	1.0	1	0.1	2	0.9	1	0.2	1	0.4	3	0.5	1	0.2
22-23	36	0.5	4	1.4	4	0.7	8	0.5	4	0.6	3	0.7	4	0.5	2	0.2	1	0.5	3	0.6	1	0.4	2	0.4	1	0.2
23-24	29	0.4	2	0.7	3	0.5	7	0.4	3	0.5	0	0.0	3	0.3	2	0.2	2	0.9	3	0.6	1	0.4	2	0.4	1	0.2
24-25	20	0.3	2	0.7	2	0.3	3	0.2	2	0.3	2	0.5	2	0.2	3	0.4	0	0.0	1	0.2	0	0.0	3	0.5	0	0.0
25g以上	46	0.6	3	1.0	5	0.8	14	0.8	7	1.1	0	0.0	3	0.3	3	0.4	2	0.9	4	0.8	0	0.0	3	0.5	2	0.5

第 3 表の 2 食塩摂取量の分布 (20 歳以上, 地域ブロック別 (再掲))

	総数		北海道		東北		関東 I		関東 II		北陸		東海		近畿 I		近畿 II		中国		四国		北九州		南九州	
	人数	%	人数	%	人数	%	人数	%	人数	%	人数	%	人数	%	人数	%	人数	%	人数	%	人数	%	人数	%	人数	%
男性	1,006	29.9	35	27.8	78	29.2	220	27.1	69	23.5	47	26.3	122	30.0	124	32.6	38	38.4	65	28.6	34	28.6	92	36.1	82	42.3
(再掲)9g未満	2,353	70.1	91	72.2	189	70.8	593	72.9	225	76.5	132	73.7	284	70.0	256	67.4	61	61.6	162	71.4	85	71.4	163	63.9	112	57.7
女性	1,137	28.3	40	24.1	76	23.0	255	27.4	79	23.7	49	21.7	146	31.1	140	29.9	51	45.1	77	27.2	35	24.5	102	32.3	87	36.4
(再掲)7.5g未満	2,881	71.7	126	75.9	255	77.0	676	72.6	254	76.3	177	78.3	323	68.9	328	70.1	62	54.9	206	72.8	108	75.5	214	67.7	152	63.6

第4表 脂肪エネルギー比率の分布（20歳以上，性・年齢階級別）

		総数		20-29歳		30-39歳		40-49歳		50-59歳		60-69歳		70歳以上	
		人	数%	人	数%	人	数%	人	数%	人	数%	人	数%	人	数%
総数	総数	7,377	100.0	659	100.0	1,079	100.0	1,135	100.0	1,254	100.0	1,505	100.0	1,745	100.0
	15%未満	707	9.6	27	4.1	49	4.5	70	6.2	109	8.7	145	9.6	307	17.6
	15-20%未満	1,205	16.3	58	8.8	114	10.6	154	13.6	179	14.3	277	18.4	423	24.2
	20-25	1,866	25.3	125	19.0	245	22.7	271	23.9	307	24.5	437	29.0	481	27.6
	25-30	1,820	24.7	179	27.2	307	28.5	308	27.1	316	25.2	375	24.9	335	19.2
	30-35	1,132	15.3	143	21.7	224	20.8	186	16.4	246	19.6	187	12.4	146	8.4
	35%以上	647	8.8	127	19.3	140	13.0	146	12.9	97	7.7	84	5.6	53	3.0
	(再掲)25%未満	3,778	51.2	210	31.9	408	37.8	495	43.6	595	47.4	859	57.1	1,211	69.4
	(再掲)30%以上	1,779	24.1	270	41.0	364	33.7	332	29.3	343	27.4	271	18.0	199	11.4
男性	総数	3,359	100.0	297	100.0	500	100.0	539	100.0	603	100.0	690	100.0	730	100.0
	15%未満	386	11.5	14	4.7	25	5.0	45	8.3	76	12.6	84	12.2	142	19.5
	15-20%未満	622	18.5	32	10.8	62	12.4	81	15.0	95	15.8	143	20.7	209	28.6
	20-25	905	26.9	63	21.2	140	28.0	157	29.1	158	26.2	201	29.1	186	25.5
	25-30	774	23.0	78	26.3	131	26.2	134	24.9	142	23.5	162	23.5	127	17.4
	30-35	465	13.8	63	21.2	94	18.8	82	15.2	100	16.6	76	11.0	50	6.8
	35%以上	207	6.2	47	15.8	48	9.6	40	7.4	32	5.3	24	3.5	16	2.2
	(再掲)25%未満	1,913	57.0	109	36.7	227	45.4	283	52.5	329	54.6	428	62.0	537	73.6
	(再掲)30%以上	672	20.0	110	37.0	142	28.4	122	22.6	132	21.9	100	14.5	66	9.0
女性	総数	4,018	100.0	362	100.0	579	100.0	596	100.0	651	100.0	815	100.0	1,015	100.0
	15%未満	321	8.0	13	3.6	24	4.1	25	4.2	33	5.1	61	7.5	165	16.3
	15-20%未満	583	14.5	26	7.2	52	9.0	73	12.2	84	12.9	134	16.4	214	21.1
	20-25	961	23.9	62	17.1	105	18.1	114	19.1	149	22.9	236	29.0	295	29.1
	25-30	1,046	26.0	101	27.9	176	30.4	174	29.2	174	26.7	213	26.1	208	20.5
	30-35	667	16.6	80	22.1	130	22.5	104	17.4	146	22.4	111	13.6	96	9.5
	35%以上	440	11.0	80	22.1	92	15.9	106	17.8	65	10.0	60	7.4	37	3.6
	(再掲)25%未満	1,865	46.4	101	27.9	181	31.3	212	35.6	266	40.9	431	52.9	674	66.4
	(再掲)30%以上	1,107	27.6	160	44.2	222	38.3	210	35.2	211	32.4	171	21.0	133	13.1

第5表の1 食品群別摂取量 (総数, 年齢階級別)

Table showing food group intake (total and by age group) for 9,006 subjects. Columns include food group, total intake, and intake by age group (7-14, 15-19, 20-29, 30-39, 40-49, 50-59, 60-69, 70+, 20+). Rows include cereals, animal products, vegetables, grains, etc.

注) 穀類の内訳は, 米・加工品＋小麦・加工品＋その他の穀類・加工品。野菜類の内訳は, 緑黄色野菜＋その他の野菜＋野菜＋野菜ジュース＋漬物。

第5表の2 食品群別摂取量 (男性, 年齢階級別)

Table showing food group intake (total and by age group) for 4,180 male subjects. Columns include food group, total intake, and intake by age group (7-14, 15-19, 20-29, 30-39, 40-49, 50-59, 60-69, 70+, 20+). Rows include cereals, animal products, vegetables, grains, etc.

注) 穀類の内訳は, 米・加工品＋小麦・加工品＋その他の穀類・加工品。野菜類の内訳は, 緑黄色野菜＋その他の野菜＋野菜＋野菜ジュース＋漬物。

